

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

NEBRASKA CENTER FOR EXCELLENCE IN ELECTRONICS 4740 Discovery Drive Lincoln, NE 68521-5376

Nic Johnson njohnson@nceelabs.com

ELECTRICAL

Valid to: May 31, 2020 Certificate Number 1953.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following <u>electromagnetic compatibility tests</u>:

Test Techno	logy:	Test Method(s):

Emissions

Unintentional Radiators Radiated and Conducted (up to 40 GHz)	47 CFR, FCC Part 15, Subpart B (using ANSI C63.4-2014); 47 CFR, FCC Part 18 (using MP-5:1986); CISPR 11; EN 55011; AS/NZS CISPR 11; KN 11; CISPR 12; EN 55012; CAN/CSA-CISPR 12-10; CISPR 14-1; EN 55014-1 (excluding clicks); CISPR 22; EN 55022; AS/NZS CISPR 22 (2002); KN 22; SANS 222; CISPR 32; EN 55032; KN 32; AS/NZS 4771; AS/NZS 4268; AS/NZS CISPR 32 CNS 13438 (up to 6 GHz); GB 9254 (1998); GB 17625.1 (2003); VCCI V-3-2011 (up to 6 GHz); VCCI V-32
Current Harmonics	IEC 61000-3-2; EN 61000-3-2; AS/NZS 61000.3.2
Voltage Fluctuations and Flicker	IEC 61000-3-3; EN 61000-3-3; AS/NZS 61000.3.3
Magnetic Fields	IATA DGR Section 3.9.2.2 and PI953
Immunity	

In

Electrostatic Discharge (ESD) IEC 61000-4-2; EN 61000-4-2; KN 61000-4-2; AS/NZS 61000.4.2; SANS 61000-4-2; ISO 10605 Radio Frequency, Radiated IEC 61000-4-3; EN 61000-4-3; KN 61000-4-3; (80 MHz to 6 GHz, 10 V/m) AS/NZS 61000.4.3; SANS 61000-4-3; ISO 11452-1 Electrical Fast Transient / Burst IEC 61000-4-4; EN 61000-4-4; KN 61000-4-4;

AS/NZS 61000.4.4; SANS 61000-4-4

(A2LA Cert. No. 1953.01) 07/02/2018

Test Method(s):

Immunity (cont.)

Surge Immunity IEC 61000-4-5; EN 61000-4-5; KN 61000-4-5;

AS/NZS 61000.4.5; SANS 61000-4-5

Radio Frequency, Conducted IEC 61000-4-6; EN 61000-4-6; KN 61000-4-6;

AS/NZS 61000.4.6; SANS 61000-4-6; ISO 11452-2

Power Line Magnetic Field IEC 61000-4-8; EN 61000-4-8; KN 61000-4-8;

AS/NZS 61000.4.8; SANS 61000-4-8

Voltage Dips and Fluctuations IEC 61000-4-11; EN 61000-4-11; KN 61000-4-11;

AS/NZS 61000.4.11

Pulse Magnetic Field IEC 61000-4-9; SANS 61000-4-9

Ring Wave IEC 61000-4-12

Radio Frequency Conducted

(0 Hz to 150 kHz, 10Vrms)

IEC 61000-4-16

Radio Frequency, Radiated with

Stripline,

(80 MHz to 400 MHz, 200V/m)

ISO 11452-5

Transmitters and Receivers (up to 40 GHz)

47 CFR, FCC Part 15, Subpart C; ANSI C63.10-2013 **Unlicensed Transmitters**

U-NII without DFS Intentional

Radiators

47 CFR, FCC Part 15, Subpart E;

FCC Guidance KDB Publication 789033; ANSI C63.10-2013

Licensed Transmitters

(up to 40 GHz)

Commercial Mobile Services (FCC Licensed Radio Service

Equipment)

47 CFR FCC Part 22, 24, 25, 27 (below 3 GHz); FCC Guidance

KDB Publication 971168; ANSI C63.26-2015;

ANSI/TIA-603-D/E-2016

General Mobile Radio Services (FCC Licensed Radio Service

Equipment)

47 CFR FCC Part 22, 90, 95, 97, 101 (below 3 GHz);

ANSI C63.26-2015; ANSI/TIA-603-D/E-2016

Maritime and Aviation Radio Services (FCC Licensed Radio

Service Equipment)

47 CFR FCC Part 80 and Part 87; ANSI C63.26-2015;

ANSI/TIA-603-D/E-2016

Infan

Test Method(s):

Transmitters and Receivers (cont.) (up to 40 GHz)

Microwave and Millimeter Wave Bands Radio Services (FCC

Licensed Radio Service

Equipment)

47 CFR FCC Part 25, 30, 74, 90, 95, 101; ANSI C63.26-2015;

ANSI/TIA-603-D/E-2016

Military Standards

MIL-STD

MIL-STD 461F/G;

RE101, RE102, CE102; CS101; CS116, RS101;

RTCA/DO-160F, Section 21; RTCA/DO-160F, Section 15

Canada ICES-001, ICES-002, ICES-003;

RSS-GEN; RSS-111, RSS-117, RSS-125, RSS-127, RSS-131, RSS-135, RSS-137, RSS-141, RSS-142, RSS-181, RSS-182, RSS-192, RSS-194, RSS-197, RSS-213, RSS-216, RSS-220, RSS-222, RSS-236, RSS-244, RSS-247, RSS-119, RSS-123,

RSS-170, RSS-210, RSS-247; SPR-002

Japan Radio Tests Radio Law No. 131, Ordinance of MPT No. 37,

1981, MIC Notification No. 88:2004, Table No. 22-11; ARIB

STD-T66, Regulation 18

Radio Communication ETSI EN 300 328; ETSI EN 300 683 (excluding DFS);

ETSI EN 300 220-1; ETSI EN 300 440-1;

ETSI EN 300 220-1

EMC Standard for SRD Operating on Frequencies Between 25

MHz and 1 GHz, < 500 mW

ETSI EN 300 440-1

EMC Standard for SRD Operating on Frequencies Between 1 GHz

and 40 GHz

Product Standards

EN 55014-2; CISPR 14-2 Immunity, Household Appliances and Electric Tools

EN 55020; CISPR 20 Sound and Television Broadcast Receivers and Associated

Equipment, Immunity

EN 55022; CISPR 22; KN 22;

AS/NZS CISPR 22

Emissions, Information Technology Equipment

Page 3 of

Test Method(s):

Product Standards (cont.)

EN 55024; CISPR 24; KN 24; AS/NZS CISPR 24	Immunity, Information Technology Equipment
EN 55035; CISPR 35; KN 35	Immunity, Multimedia Equipment
EN 55032; CISPR 32; KN 32; AS/NZS CISPR 32	Emissions, Multimedia Equipment
IEC 60533	Electrical and Electronic Installation in Ships – EMC
EN 14982; ISO 14982 (excluding power transients)	Agriculture and Forestry Machinery
EN 13766; ISO 13766 (emissions and ESD only)	Earth-Moving Machinery
EN 50130-4	Immunity Requirements for Components of Fire, Intruder, and Social Alarms
IEC 60601-1-2; EN 60601-1-2	Medical Electrical Equipment
IEC 61326-1; EN 61326-1	Electrical Equipment for Measurement, Control, and Laboratory Use
IEC 61326-2-1; EN 61326-2-1	Requirement for EMC Unprotected Area
IEC 61326-2-3; EN 61326-2-3	Requirements for Transducers with Integrated or Remote Signal Conditioning
IEC 61000-6-1; EN 61000-6-1; AS/NZS 61000.6.1; KN 61000-6-1	Generic Immunity for Residential, Commercial, and Light Industrial
IEC 61000-6-2; EN 61000-6-2; AS/NZS 61000.6.2; KN 61000-6-2	Generic Immunity for Industrial Environments
IEC 61000-6-3; EN 61000-6-3; AS/NZS 61000.6.3; KN 61000-6-3	Generic Emissions for Residential, Commercial, and Light Industrial
IEC 61000-6-4; EN 61000-6-4; AS/NZS 61000.6.4; KN 61000-6-4	Generic Emissions for Industrial Environments

Pag

Test Method(s):

Product Standards (cont.)

ETSI EN 300 413 EMC Standard for Satellite Earth Stations and Systems (SES);

> Global Navigation Satellite System (GNSS) receivers; Radio equipment operating in the 1 164 MHz to 1 300 MHz and 1 559

MHz to 1 610 MHz frequency bands

ETSI EN 300 441 EMC standard for Satellite Earth Stations and Systems (SES);

> Harmonised Standard for Mobile Earth Stations (MES), including handheld earth stations, for Satellite Personal Communications Networks (S-PCN) operating in the 1,6 GHz/2,4 GHz frequency

band under the Mobile Satellite Service (MSS)

EMC Standard for SRD Operating on Frequencies Between 9 kHz ETSI EN 300 683

and 25 GHz (excluding section 9.6)

ETSI EN 301 489-1; EMC Standard for Radio Equipment and Services;

Part 1 – Common Technical Requirements ETSI EN 301 489-17

EAC Voluntary Voting System Guidelines (2015), Vol. 1 Section 4.1.2.4-12; Vol. 2 Section 8

Electrical Product Safety

Safety Requirements for Electrical Equipment for Measurement, EN 61010-1; IEC 61010-1;

UL61010-1: CAN/CSA C22.2 Control, and Laboratory Use No. 61010-1

EN 61010-2-010; Particular Requirements for Electrical Equipment for the Heating

IEC 61010-2-010 of Materials

Exclusions:

Section 6.7.1.3 - Tracking Index Measurements, 9.3.1/14.7 -

Flammability Testing, 10.5.3 – Vicat Testing,

11.7 – Fluid Pressure and Leakage,

12.2 – *Ionizing Radiation* 12.3 – UV Radiation,

12.4 – Microwave Radiation. 12.5.2 – Ultrasonic Pressure

EN 61010-2-081; Particular Requirements for Automatic and Semi-automatic IEC 61010-2-081

Laboratory Equipment for Analysis and Other Purposes

Landen

<u>Test Technology:</u> <u>Test Method(s):</u>

Electrical Product Safety (cont.)

EN 60950-1; IEC 60950-1; Information Technology Equipment – Safety

ANSI/UL 60950-1;
CAN/CSAC22.2 No. 60950-1-07

Exclusions:
4.3.13 - Ionizing Radiation,
4.7.3 - Materials Tests

IEC 60204-1

Safety of machinery - Electrical equipment of machines

Audio/video, information and communication technology equipment - Part 1: Safety requirements

IEC 60529

Ingress Protection, Up To IP67

Testing Activities Performed in Support of FCC Declaration of Conformity and Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1²

Rule Subpart/Technology	Test Method	Maximum Frequency (MHz)
<u>Unintentional Radiators</u> Part 15B	ANSI C63.4-2014	40000
Industrial, Scientific, and Medical Equipment Part 18	FCC MP-5 (February 1986)	40000
Intentional Radiators Part 15C	ANSI C63.10-2013	40000
<u>U-NIII without DFS Intentional Radiators</u> Part 15E	ANSI C63.10-2013	40000
Commercial Mobile Services (FCC Licensed Radio Service Equipment) Part 22 (cellular), Part 24, Part 25 (below 3 GHz), Part 27	FCC Guidance KDB Publication 971168; ANSI C63.26-2015; ANSI/TIA-603-D/E-2016	40000

Page 6

¹The laboratory is only accredited for testing activities outlined within the test methods listed above. Reference to any other activity within these standards, such as risk management or risk assessment, does not fall within the laboratory's accredited capabilities

Testing Activities Performed in Support of FCC Declaration of Conformity and Certification in Accordance with 47 Code of Federal Regulations and FCC KDB 974614, Appendix A, Table A.1²

Rule Subpart/Technology	Test Method	Maximum Frequency (MHz)
General Mobile Radio Services (FCC Licensed Radio Service Equipment) Part 22 (non-cellular), Part 90 (below 3 GHz), Part 95, Part 97 (below 3 GHz), Part 101 (below 3 GHz)	ANSI C63.26-2015; ANSI/TIA-603-D/E-2016	40000
Maritime and Aviation Radio Services Part 80, Part 87	ANSI C63.26-2015; ANSI/TIA-603-D/E-2016	40000
Microwave and Millimeter Bands Radio Services		
Parts 25, 30, 74, 90 (M, DSRC, Y, Z), Part 95 (M and L), and 101	ANSI C63.26-2015; ANSI/TIA-603-D/E-2016; FCC Guidance KDB Publication 653005	70000

²Accreditation does not imply acceptance to the FCC equipment authorization program. Please see the FCC website (https://apps.fcc.gov/oetcf/eas/) for a listing of FCC approved laboratories.

Page 7



Accredited Laboratory

A2LA has accredited

NEBRASKA CENTER FOR EXCELLENCE IN ELECTRONICS (NCEE LABS)

Lincoln, NE

for technical competence in the field of

Electrical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005

General requirements for the competence of testing and calibration laboratories. This laboratory also meets the requirements of any additional program requirements in the Electrical field. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system

(refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SEAL 1978 A 2LA

Presented this 2nd day of July 2018.

President and CEO For the Accreditation Council Certificate Number 1953.01 Valid to May 31, 2020